


MOTORS WITH POWER UP TO 850 W

SLGS SERIES - Non reversible

WATT: 480 / Consumption: 870 NI/1'

DATA SHEET SLGS7S



1. Cylindrical keyed shaft
2. Grip zone
3. Air inlet
4. Air exhaust

Technical sheet

Left rotation - Model	SLGS7S
Left rotation - Code	8721199
Speed rpm - No-load	330
Speed rpm - at Max Power	110
Torque Nm - at Max Power	28,3
Torque Nm - Stall Torque	55,2

CHARACTERISTICS OF SHAPE

The normal delivery condition:
cylindrical shaft and body as shown in the photo.

Optional:

Shaft

- threaded - indication /AF (left rotation excluded - subject to checks for reversible)



- conical - indication /AC

- with collets - indication / AP

Body

- with diamond flange coupling

PERFORMANCE FIGURES



MOTORS WITH POWER UP TO 850 W

SLGS SERIES - Non reversible

WATT: 480 / Consumption: 870 NI/1'



DATA SHEET SLGS7S

RADIAL AND AXIAL LOADS

Model	Code	Fr (N)	Fa (N)	Co (N)
SLGS7S	8721199	1000	1850	3750

OVERALL DIMENSIONS

Serie SLGS Non reversibili
Series Non-reversible
Serie Nicht umsteuerbar



Model	Code	A	B	C	D	F	G	H	I	L	M	N	O	P	Q	S
SLGS7S	8721199	168,5	51,5	40	42	36	13	3	5	M5	1/2"x20UNF	16	20,5	B12	21	ER16